AMENDMENTS TO THE CLAIMS

- 1. (Currently Amended): A composition, comprising, in a physiologically acceptable medium:
- (1) N-cholesteryloxycarbonyl-4-para-aminophenol; and
- (2) hydroquinone or a hydroquinone compound which has depigmenting or lightening activity.
- 2. (Original): The composition of claim 1, wherein said N-cholesteryloxycarbonyl-4-para-aminophenol is present in an amount of from 0.01 to 5% by weight, relative to the total weight of said composition.
- 3. (Original): The composition of claim 1, wherein said N-cholesteryloxycarbonyl-4-para-aminophenol is present in an amount of from 0.5 to 2.5% by weight, relative to the total weight of said composition.
- 4. (Currently Amended): The composition of Claim 1, wherein said hydroquinone or hydroquinone compound is present in an amount of 0.1 to 2 % by weight, relative to the total weight of said composition.
- 5. (Currently Amended): The composition of Claim 1, wherein said hydroquinone or hydroquinone compound is present in an amount of 0.5 to 1 % by weight, relative to the total weight of said composition.
- 6. (Currently Amended): The composition of Claim 1, wherein said N-cholesteryloxycarbonyl-4-para-aminophenol is present in an amount of 0.01 to 5 % by

weight, relative to the total weight of said composition, and said hydroquinone of hydroquinone compound is present in an amount of 0.1 to 2 % by weight, relative to the total weight of said composition.

- 7. (Currently Amended): The composition of Claim 1, wherein said N-cholesteryloxycarbonyl-4-para-aminophenol is present in an amount of 0.5 to 2.5 % by weight, relative to the total weight of said composition, and said hydroquinone of hydroquinone compound is present in an amount of 0.5 to 1 % by weight, relative to the total weight of said composition.
- 8. (Original): The composition of claim 1, wherein said N-cholesteryloxycarbonyl-4-para-aminophenol is included in a lamellar phase of ionic or nonionic lipid vesicles, with an oily or aqueous center.
- 9. (Currently Amended): The composition of Claim 8, wherein said vesicles are dispersed in an aqueous or oily phase comprising said hydroquinone or hydroquinone compound.
- 10. (Currently Amended): The composition of Claim 8, wherein said hydroquinone or hydroquinone compound is encapsulated in said vesicles.

- 11. (Original): The composition of claim 1, further comprising at least one ingredient selected from the group consisting of UV-screening agents and desquamatory agents.
- 12. (Currently Amended): A method for depigmenting and/or lightening the skin, body hair, or head hair, comprising applying to the skin, body hair and/or head hair, a composition comprising, in a physiologically acceptable medium:
 - (1) N-cholesteryloxycarbonyl-4-para-aminophenol; and
- (2) hydroquinone or a hydroquinone compound which has depigmenting or lightening activity.
- 13. (Original): The method of claim 12, wherein said N-cholesteryloxycarbonyl-4-para-aminophenol is present in said composition in an amount of from 0.01 to 5% by weight, relative to the total weight of said composition.
- 14. (Original): The method of claim 12, wherein said N-cholesteryloxycarbonyl-4-para-aminophenol is present in said composition in an amount of from 0.5 to 2.5% by weight, relative to the total weight of said composition.
- 15. (Currently Amended): The method of Claim 12, wherein said hydroquinone of hydroquinone compound is present in said composition in an amount of 0.1 to 2 % by weight, relative to the total weight of said composition.
- 16. (Currently Amended): The method of Claim 12, wherein said hydroquinone of hydroquinone compound is present in said composition in an amount of 0.5 to 1 % by

weight, relative to the total weight of said composition.

- 17. (Currently Amended): The method of Claim 12, wherein said N-cholesteryloxycarbonyl-4-para-aminophenol is present in an amount of 0.01 to 5 % by weight, relative to the total weight of said composition, and said hydroquinone or hydroquinone compound is present in an amount of 0.1 to 2 % by weight, relative to the total weight of said composition.
- 18. (Currently Amended): The method of Claim 12, wherein said N-cholesteryloxycarbonyl-4-para-aminophenol is present in said composition in an amount of 0.5 to 2.5 % by weight, relative to the total weight of said composition, and said hydroquinone or hydroquinone compound is present in said composition in an amount of 0.5 to 1 % by weight, relative to the total weight of said composition.
- 19. (Original): The method of claim 12, wherein said N-cholesteryloxycarbonyl-4-para-aminophenol is included in a lamellar phase of ionic or nonionic lipid vesicles, with an oily or aqueous center.
 - 20. (Currently Amended): The method of Claim 19, wherein said vesicles are dispersed in an aqueous or oily phase containing hydroquinone or a hydroquinone compound.
- 21. (Currently Amended): The composition of Claim 19, wherein said hydroquinone or hydroquinone compound is encapsulated in said vesicles.
 - 22. (Original): The method of claim 12, wherein said composition further

comprises at least one ingredient selected from the group consisting of UV-screening agents and desquamatory agents.

23. (Canceled).